

SYSTEM AND METHOD FOR A PEER-TO-PEER DATA FILE SERVICE

BACKGROUND OF THE INVENTION

Field of the Invention

[0001] The present invention relates to the field of data file access. More specifically, the present invention, in an exemplary embodiment, relates to a system and method of operation for peer-to-peer access to data files containing data for which a royalty may be owed. More specifically still, the present invention, in an exemplary embodiment, relates to a system and method of operation for peer-to-peer access to data files to provide access to pre-loaded and dynamically loaded content from catalogs for a fee.

Description of the Related Art

[0002] Over the years, numerous artists and musicians have recorded great volumes of work. Numerous record companies have thousands of recordings which may not sell in great numbers. Further, shelf-space in retail environments may not allow for placing these recordings for sale as the slow-moving recording would take up valuable shelf space. As used herein, "recordings" and "content" are understood to be equivalent and comprise works subject to copyright including audiovisual works such as music, performance, film, and video; still art such as paintings; print such as text; software such as video games or other executable software; and the like. It is thus understood that, as used herein in a exemplary manner, neither "recordings" nor "content" are limited to sound recordings such as music.

[0003] The prior art has addressed delivery of content over a network such as the Internet. United States Patent No. 5,726,909 to Krikorian for "CONTINUOUS PLAY BACKGROUND MUSIC SYSTEM" is illustrative. A central computer has access to a master song library, among other data files, and provides end users with access to the music from the song library. End users have appropriate equipment to render the data file into a perceptible output and can selectively customize the content to be delivered.

[0004] United States Patent No. 5,918,213 issued to Bernard et al. for "SYSTEM AND METHOD FOR AUTOMATED REMOTE PREVIEWING AND PURCHASING OF MUSIC, VIDEO, SOFTWARE, AND OTHER MULTIMEDIA PRODUCTS" is further illustrative. Users of this system can make purchases via a remote communications medium without human intervention by the publisher of the work being accessed.

[0005] Neither of these prior art references discloses, suggests, or provides motivation for using a peer-to-peer network to store the data files to be made available.

[0006] Peer-to-peer sharing, as exemplified by NAPSTER, made many people aware of the power, flexibility, economics, and desirability of peer-to-peer services. See, e.g., "Music trading heads back underground" by John Borland, Staff Writer, CNET News.com May 8, 2001, available at <http://news.cnet.com/news/0-1005-200-5862906.html>. Some recordings may have been made available through peer-to-peer networks but such availability has often skirted the law, especially copyright law, depriving artists and their publishers such as record companies revenue they would have received if the recordings had been purchased.

[0007] Even after copyright based litigation, peer-to-peer services still draw tens of thousands of users each day. In part, these users are drawn to large numbers of recording data files still available. Many of these are works from independent labels, out-of-print and live recordings, or cultural marginalia that together still draw an audience.

[0008] Additionally, for a number of peer-to-peer software applications, search services also exist to allow finding content. For example, InfraSearch is a search engine that sends a request to other computers in the network, asking them to search their hard drives for matches to a query posed in the search. Appropriate computers may reply and pass the request along to other computers about which they are aware. See, e.g., "Peer-to-peer promises to reshape the Net" by Joshua L. Kwan, Mercury News, available at <http://www0.mercurycenter.com/svtech/news/indepth/docs/peer021201.htm>

[0009] Problems with the peer-to-peer applications of the prior art remain, including reliability, redundancy coupled with ease of search, and royalties, i.e. insuring remuneration paid to the artist in an appropriate fashion.

[0010] A need therefore exists for placing recordings online and making content available in a manner that allows consumers to retrieve and purchase copies of the content in a secure environment while protecting and collecting royalties due the artists and their publishers.

BRIEF SUMMARY OF THE INVENTION

[0011] In an exemplary embodiment, among other advantages, the present inventions provide an ability to securely distribute data that may comprise content, including back-catalog content, via a secure and controlled peer-to-peer network. The present inventions further provide for placing data online and making these data available

in a manner that allows consumers to retrieve and purchase copies of the data in a secure environment while protecting and collecting royalties due the data creators and their publishers.

[0012] In an exemplary embodiment, the present inventions comprise a system for securable access to a collection of data across a peer-to-peer data network. The system may comprise a computer operatively connected to a persistent data store containing a plurality of individually selectable data files of a predetermined data format where the data files are secured from unauthorized access; a data communication interface, operatively connected to the computer to effect a peer-to-peer network; and software, executing in the computer, that is capable of identifying other systems executing instances the software, allowing peer-to-peer sharing of the data files with the identified other systems, restricting sharing of data to the identified other systems, and allowing users of the software to manipulate the data files.

[0013] The scope of protection is not limited by the summary of an exemplary embodiment set out above, but is only limited by the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

[0014] These and other features, aspects, and advantages of the present invention will become more fully apparent from the following description, appended claims, and accompanying drawings in which:

[0015] **Fig. 1** is a schematic view of an exemplary system layout; and

[0016] **Fig. 2** is a flowchart of an exemplary embodiment of the present system.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

[0017] By way of example and not limitation, many music companies have thousands of old song recordings which are not currently selling, e.g. a “back catalog.” Film companies may have hundreds of films which have similar sales patterns as may publishers of other works. Bringing these slow sellers to market is often an expensive proposition even though consumers exist who would be willing to purchase the work, if it were available.

[0018] Referring now to **Fig. 1**, a schematic view of an exemplary system layout, in a preferred embodiment musicbox 50 comprises persistent data store 52 and data communications interface 54. Musicbox is referred to generally herein as “50” and may include musicbox 50a and 50b. Musicbox 50 may be a specialized device such as standalone musicbox 50a or may comprise a data store 52 and requisite software 60 (not shown in the **Figures**) installed on one or more personal computers such as computer 21 or computer 22. In a preferred embodiment, to accommodate digital rights management (DRM), musicboxes 50 may incorporate a separate, virtual peer-to-peer network between the musicboxes 50, e.g. 50a, and 50b.

[0019] Each data store 52 may contain several tens if not hundreds of data files, including data files comprising content, by way of example and not limitation including high quality digital reproductions of music recordings, MP3 recordings, audiovisual recordings such as film, and the like, or combinations thereof. In a preferred embodiment, each data file resident on data store 52 may be secured such as with a secure data format such as AAC or other secure data formats. Additional levels of security may exist as well, such as security levels associated with each data store 52, with

one or more folders on data store 52 containing data files, or the like, or a combination thereof.

[0020] In the currently preferred embodiment, data store 52 comprises a hard disk device, in a preferred embodiment having around ten gigabytes or more of data storage. Data store 52 is capable of containing around five hundred or more high quality digital audio tracks. In other currently envisioned embodiments, data store 52 may comprise any suitable large data storage device, by way of example and not limitation comprising electronic storage media, optical media such as CDROM or DVDROM, writable media optical media such as CD-R, CD-RW, and DVD-RAM, removable media, multiple media such as RAID hard disk device arrays, and the like, or combinations thereof.

[0021] In a preferred embodiment, data files may be stored using a secure format such as a DRM data structure or blanket. In this manner, if data store 52 is removed from musicbox 50 and accessed within a personal computer environment, data on data store 50 cannot be retrieved and processed into its preferred perceptible format. Additionally, data files may be stored using a database structure that comprises audio and meta-data such as lyrics, album data background information of the artists, and the like, or combinations thereof.

[0022] As will be understood by those of ordinary skill in the computer arts, data communications interface 54 may comprise a local area network adapter (not shown in the figures) such as for connection to local area network 40 or a high speed data communications device 14 or access to a high speed data communications device 14 such as a DSL router, a data communication adapter such as a DSL Internet interface, modems, serial ports, parallel ports, USB ports, FIREWIRE™ ports, or the like, or

combinations thereof. A peer-to-peer network may be accomplished by access to a data network such as the Internet 100.

[0023] Standalone musicbox 50 may further comprise a controller 56 such as a central processing unit, memory, and operational software including software 60 to effect the present invention's peer-to-peer access. In alternative embodiments, controller 56 may comprise one or more application specific integrated circuits in conjunction with or in place of the central processing unit.

[0024] In a preferred embodiment, musicbox 50 may additionally have audio and/or video output connectors 58 suitable for connecting musicbox 50 to an appropriate device, e.g. an A/V receiver to allow reproduction of content on a high quality entertainment center such as 80.

[0025] Software 60 may have several components with differing capabilities. Software 60 is capable of interfacing with other musicboxes 50, including computers 21,22 executing instances of software 60, and identifying those musicboxes 50 as peers, e.g. software 60 executing in musicbox 50a might identify musicbox 50b and computer 22 as peers but not computer 21 if computer 21 was not executing software 60.

[0026] In a currently preferred embodiment, central server 30 exists to provide registration and other services. Central server 30 may reside at a data provider, at a third party site, or a combination thereof. Catalogs of data and their content may also be managed at central server 30. As central server 30 is also a peer in the peer-to-peer network, data become available almost immediately for the peer community, e.g. central server 30 may publish or broadcast a message to peers 50a, 50b, and 22 to announce that new data are available.

[0027] In the operation of an exemplary embodiment, referring now to Fig. 2, a flowchart of an exemplary embodiment, each data store 52 is preloaded 200 with a set of data files from a larger set of data files such as at a publisher site. The preloading may be in a predetermined or random sequence. In the preferred embodiment, overlap exists between a plurality of data stores 52 with respect to at least a portion of their data files. In this way, redundancy and availability may be enhanced once musicbox 50 is deployed onto a the peer-to-peer network.

[0028] When a musicbox 50 is initialized 210, including an appropriately configured computer with data store 52 such as computer 21, musicbox 50 participates in a the peer-to-peer network with other musicboxes 50 or computers 21,22 executing software 60. Each participant on the peer-to-peer network may identify 220 others on the peer-to-peer network via central server 30. In additionally envisioned embodiments, musicboxes 50 in systems without central server 30 may identify each other such as by going online and broadcasting within the peer-to-peer data communications network 100 to find peers, e.g. musicbox 50b pings the Internet 100 and finds musicbox 50a and computer 22. Although many equivalent methods may be employed to establish the peer-to-peer networking, as will be familiar to those of ordinary skill in the computer networking arts, one currently preferred method is described in United States serial number 09/844,520 (attorney docket US 018052) filed April 26, 2001 for Eugene Shteyn for DISTRIBUTED STORAGE ON A P2P NETWORK ARCHITECTURE, incorporated herein by reference.

[0029] Once identified, musicbox 50 may then provide 240 a catalog of data currently on its data store 52 to other musicboxes 50 in the peer-to-peer network.

[0030] A user, e.g. at computer 21, may access 250 the totality of data files or some portion of the data files, such as through a login procedure, using techniques which will be readily familiar to those of ordinary skill in the software arts. In the preferred embodiment, the user invokes software 60 or a portion of it which presents a user interface. Using the user interface, the user may accomplish several tasks to more fully exploit the data file system. By way of example and not limitation, a user may pay a fee such as to a third party (not shown in the **Figures**) that allows the user to sample or otherwise access a data file or group of data files present in the peer-to-peer network comprising a musicbox 50 or a plurality of musicboxes 50.

[0031] In a currently envisioned embodiment, a consumer who wishes to use musicbox 50 buys one or more musicboxes 50 and signs-up for a subscription to the peer-to-peer network such as by telephone, web-site registration, or other means as will be familiar to those of ordinary skill in the e-commerce arts. Musicbox 50 may then be connected to the peer-to-peer network and may communicate with an authorization server such as 30 to be registered. Registration may use many appropriate means such as by a serial number.

[0032] Once registered, musicbox 50 is 'welcomed' into the peer-to-peer network. Additionally, registration allows data providers such as content producers or creators to collect and distribute appropriate royalties to content creators, by way of example and not limitation by having a service operator gather fees and paying the content creator or an organization such as ASCII or BMI.

[0033] In another currently envisioned embodiment, musicbox 50 may incorporate an authorization device (not shown in the **Figures**) such as a so-called "smart

card.” The authorization device may contain one or more electronic, mechanical, or optical keys for use by musicbox 50 to unlock data stored on data store 52, e.g. for use within a DRM data structure. In a preferred embodiment, data will be preloaded such as at step 200 onto data store 52, allowing a consumer with appropriate access, e.g. the key device, to immediately access the data.

[0034] Once authorized such as via registration or with an authorization device, other musicboxes 50 in the peer-to-peer network with appropriate access rights may access the newly enabled musicbox 50 and start to download music from this new musicbox 50.

[0035] Users with subscriptions may use many methods of keeping subscriptions active, by way of example and not limitation including monthly fees, pre-paid content purchase, per unit of content purchase, and the like. In a currently envisioned alternative, users employing pre-paid content purchases may purchase and use an identifying token. The token allows the user to access the pre-paid amount of content. When the token is expended, the user may purchase a new token, e.g. the user buys a new smart card and repeats the same process. Central server 30 may be used to register the tokens.

[0036] User access can be configured such as by a login procedure and allow a user one or more of a plurality of options depending on numerous factors, by way of example and not limitation configurations provided by the artist or supplier of the data file, amount paid by the user, subscriptions enabled for the user, and the like or combinations thereof. Moreover, user access such as at step 270 may be limited to a read-only or transient access mode such as will be useful to allow access to a sampling of the recording or a view-but-do-not-permit-downloading mode of access, or permit full

download of the recording for further limited or unlimited access at the user's musicbox 50 or computer, e.g. 22. By way of example and not limitation, a user may select a plurality of recordings, pay an appropriate fee, and download the recordings onto computer 22 for further processing by the user, e.g. making a custom arrangement of recordings for burning onto a CDROM. In alternatively contemplated embodiments, download to a reproducible device such as a CDROM burner may be prohibited and the peer-to-peer network restricted to a closed environment that disallows making copies, burning CDROMs, and the like.

(0037) Additionally, by way of example and not limitation, a user may use the user interface to select one or more categories of data files available from a larger set of such categories, e.g. jazz available from a set of music data files, film noir from a set of film data files, 1960s sitcoms from a set of television data files, and the like, or combinations thereof.

[0038] In further contemplated embodiments, the system of the present inventions may be personalized to a user's preferences. By way of example and not limitation, a user's downloading and listening behavior may be captured for use by musicbox 50, central server 30, or a combination thereof. Based on this prior downloading and listening behavior of the user, that user's musicbox 50 may then be loaded such as in a background process with data that fits a profile generated by such prior download and listening behavior. For example, the user's downloading and listening behavior may be processed into profiling data that is logged back to central server 30, including via a secure framework to protect the user's privacy. Those producers who operate or utilize central server 30, e.g. a record label company, may use the profiling data to determine

which data are being accessed, e.g. use the profiling data to generate a rank ordering or usage pattern of the data. Such producers may further use the profile data for individualized marketing purposes, e.g. send targeted advertisements, announcement of concerts, and announcements and/or samples of new data which can be bought, and the like, or combinations thereof back to a user's musicbox 50 based on the user's profile of usage of data resident at or accessible to that musicbox 50.

[0039] Since data stored on data store 52 of a musicbox 50 is part of the peer-to-peer network, that data may be automatically sharable within the peer community. Therefore, if a user wishes to access data on other musicboxes 50, the user may use an application with a search engine that allows the user to scout for desired data. If found, the data may then be downloaded from a data store 52 on that other musicbox 50 to a data store 52 local to the user's musicbox 50. Additionally, this will mean that data may be available in multiple copies within the peer-to-peer network.

[0040] Further, a user may disable and even remove their musicbox 50 from the peer-to-peer network if they want to access the data someplace where there is no data communications connection. However, in currently envisioned embodiments, musicbox 50 may require predetermined periodic access to the peer network to remain enabled.

[0041] It will be understood that various changes in the details, materials, and arrangements of the parts which have been described and illustrated above in order to explain the nature of this invention may be made by those skilled in the art without departing from the principle and scope of the invention as recited in the following claims.